




Z545-78

SPECIFICATION SHEET

16 [406] DIAMETER HEAVY DUTY DRAIN W/ EXTENSION FRAME & WEEP HOLES

TAG _____

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



* EXTENSION HT. OVER
4 [102] REQUIRES
MULTIPLE EXTENSIONS

A- Pipe Size In.	Approx. Wt. Lbs. [kg]	Grate Open Area Sq. In. [cm ²]
2 - 3 - 4 [51 - 76 - 102]	69 [31]	50 [323]
5 - 6 [127 - 152]	69 [31]	
8 [203]	71 [32]	
10 [250]	70 [32]	

ENGINEERING SPECIFICATION: ZURN Z545-78

16 [406] Diameter top drain, Dura-Coated cast iron deep sump body with bottom outlet, seepage pan and combination membrane flashing clamp, extension frame with (2) rows of 3/8 [10] diameter weep holes and frame for heavy duty cast iron slotted grate.

OPTIONS (Check/specify appropriate options)

PIPE SIZE

(Specify size/type) **OUTLET**

'E' BODY HT. DIM.

2 thru 6 - 8 - 10 [51 thru 152 - 203 - 250]	_____ IC Inside Caulk	5 1/4 [133]
2 thru 6 - 8 - 10 [51 thru 152 - 203 - 250]	_____ IG Inside Caulk w/Sealtrol Gskt.	5 1/4 [133]
2 thru 6 - 8 - 10 [51 thru 152 - 203 - 250]	_____ IP Threaded	3 3/4 [95]
2 thru 6 - 8 - 10 [51 thru 152 - 203 - 250]	_____ NH No-Hub	5 1/4 [133]
2 thru 4 [51 thru 1020]	_____ NL Neo-Loc	4 5/8 [117]

PREFIXES

- _____ Z D.C.C.I. Body and Grate*
- _____ ZB D.C.C.I. Body with Polished Bronze Grate (Add 3/16 [5] to 3 1/2 [89] Dim.)
- _____ ZN D.C.C.I. Body with Polished Nickel Bronze Grate (Add 3/16 [5] to 3 1/2 [89] Dim.)

SUFFIXES

- _____ -DG Duresist Grate
- _____ -G Galvanized Cast Iron
- _____ -TC Neo-Loc Test Cap Gasket (2 - 4 [51 - 76] NL Bottom Outlet Only)
- _____ -VP Vandal-Proof Secured Top
- _____ -90 90° Threaded Side Outlet (See Z1043)

*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED

REV. DATE: 6/17/04 C.N. NO. 92292

DWG. NO. P-15066 PRODUCT NO. Z545-78

ZURN INDUSTRIES, INC. ♦ SPECIFICATION DRAINAGE OPERATION ♦ 1801 Pittsburgh Ave. ♦ Erie, PA 16514

Phone: 814455-0921 ♦ Fax: 814454-7929 ♦ World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905405-8272 Fax: 905405-1292