




Z415B-93

BODY ASSEMBLY W/ LOOSE SET "TYPE B" STRAINER

SPECIFICATION SHEET

TAG _____

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



A Pipe Size	Approx. Wt. Lbs. [Kg.]	Strainer Open Area Sq. In. [cm ²]
2-3 [51-76]	11 [5]	8 [52]

ENGINEERING SPECIFICATION: ZURN ZN415B-93

Floor and shower drain, Dura-Coated cast iron body with bottom outlet, membrane clamp and 5 [127] diameter loose-set nickel bronze strainer.

OPTIONS (Check/specify appropriate options)

PIPE SIZE

- 2, 3 [51, 76]
- 2 [51]
- 3 [76]
- 2, 3 [51, 76]
- 2, 3 [51, 76]

(Specify size/type) **OUTLET**

- ___ IC Inside Caulk
- ___ IP Threaded
- ___ IP Threaded
- ___ NH No-Hub
- ___ NL Neo-Loc

'E' BODY HT. DIM.

- 3 7/8 [98]
- 2 3/8 [60]
- 2 5/8 [67]
- 3 7/8 [98]
- 4 5/8 [117]

PREFIXES

- ___ ZN D.C.C.I. Body and Clamp Collar w/ Nickel Bronze Top*

SUFFIXES

- ___ -AR Acid Resisting Epoxy Coated Cast Iron
- ___ -G Galvanized Cast Iron
- ___ -P Trap Primer Connection (Specify 1/2 [13] or 3/4 [19])
- ___ -V Backwater Valve
- ___ -TC Neo-Loc Test Cap Gasket
(2, 3 [51, 76] NL Bottom Outlet Only)
- ___ -TS Stop Secured with Slotted Screws
- ___ -VP Vandal-Proof Secured Top

*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED

REV. B	DATE: 5/2/07	C.N. NO. 96562
DWG. NO. P-14786	PRODUCT NO. Z415B-93	

ZURN INDUSTRIES, LLC ♦ SPECIFICATION DRAINAGE OPERATION ♦ 1801 Pittsburgh Ave. ♦ Erie, PA 16514

Phone: 814/455-0921 ♦ Fax: 814/454-7929 ♦ World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905/405-8272 Fax: 905/405-1292