




# Z1752-19

12 X 12 [305 X 305] SANI-FLOR RECEPTOR W/  
10 [254] SUMP DEPTH & FULL HINGED GRATE

SPECIFICATION SHEET

TAG \_\_\_\_\_

Dimensional Data (inches and [ mm ]) are Subject to Manufacturing Tolerances and Change Without Notice



| A<br>Pipe Size<br>In. [mm] | Approx.<br>Wt.<br>Lbs. [kg] | Grate Open<br>Area<br>Sq. In. [cm <sup>2</sup> ] |
|----------------------------|-----------------------------|--|
| 2,3,4 [51,76,102]          | 22 [10]                     | 8 [52]   |
| 6 [152]                    | 23 [10]                     |  |

### ENGINEERING SPECIFICATION: ZURN Z1752-19

12" x 12" x 10" [305mm x 305mm x 254mm] Deep, 16 gage, all Type 304 (CF8) stainless steel light-duty Sani-Flor receptor with non-tilt, loose set full hinged grate with 1/2" [13] square openings and anti-splash interior dome strainer.

### OPTIONS (Check/specify appropriate options)

#### PIPE SIZE

2,3,4,6 [51,76,102,152]

2,3,4 [51,76,102]

#### (Specify size/type) OUTLET

\_\_\_ NH No-Hub

\_\_\_ NL Neo-Loc

#### 'E' BODY HT. DIM.

12-1/16 [306]

11-13/16 [300]

#### PREFIXES

\_\_\_ Z Type 304 (CF8) Stainless Steel Body\*

\_\_\_ ZM Type 316 (CF8M) Stainless Steel

#### SUFFIXES

\_\_\_ -DX Dex-o-tex Flange

\_\_\_ -K Anchor Flange w/ Seepage Holes

\_\_\_ -KC Anchor Flange w/ Seepage Holes and Clamp Collar

\_\_\_ -P 1/2 [13] Trap Primer Connection

\_\_\_ -TC Neo-Loc Test Cap Gasket

(2,3,4 [51,76,102] NL Bottom Outlet Only)

\_\_\_ -VP Vandal-Proof Secured Top

\_\_\_ -Y Sediment Bucket

\* Regularly furnished unless otherwise specified.

Zurn Industries, LLC | Specification Drainage Operation

1801 Pittsburgh Avenue, Erie, PA U.S.A. 16502 · Ph. 855-663-9876, Fax 814-454-7929

In Canada | Zurn Industries Limited

3544 Nashua Drive, Mississauga, Ontario L4V 1L2 · Ph. 905-405-8272, Fax 905-405-1292

[www.zurn.com](http://www.zurn.com)

Rev. B

Date: 10/09/2017

C.N. No. 139076

Prod. | Dwg. No. Z1752-19