




# Z508-94

SPECIFICATION SHEET

## Ø9 EXTRA HEAVY-DUTY DRAIN W/ SEDIMENT BUCKET & STAINLESS STEEL SECONDARY STRAINER

TAG \_\_\_\_\_

Dimensional Data (inches and [ mm ]) are Subject to Manufacturing Tolerances and Change Without Notice



A- Pipe Size In.	Approx. Wt. Lbs.	Grate Open Area Sq. In.
2-3-4 [51-76-102]	21 [10]	18 [116]

### ENGINEERING SPECIFICATION: ZURN Z508-94

9 [229] Diameter top drain, acid resisting epoxy coated cast iron body with bottom outlet, seepage pan and combination membrane flashing clamp, sediment bucket, stainless steel secondary strainer and frame for extra heavy-duty cast iron deep flange slotted grate.

### OPTIONS (Check/specify appropriate options)

#### OUTLET (Specify type)

_____	<b>IC</b>	Inside Caulk
_____	<b>IC</b>	Inside Caulk w/Sealtrol Gskt.
_____	<b>IP</b>	Threaded
_____	<b>NH</b>	No-Hub
_____	<b>NL</b>	Neo-Loc

#### PIPE SIZE (Specify size)

_____	2,3,4 [51-76-102]
_____	2,3,4 [51-76-102]
_____	2,3,4 [51-76-102]
_____	2,3,4 [51-76-102]
_____	2,3,4 [51-76-102]

#### 'E' BODY HT. DIMENSION

_____	2,3,4 [51-76-102]	3-3/4 [95]
_____	2,3,4 [51-76-102]	3-3/4 [95]
_____	2,3,4 [51-76-102]	2-3/4 [70]
_____	2,3,4 [51-76-102]	4-3/4 [121]
_____	2,3,4 [51-76-102]	3-3/4 [95]

### PREFIXES

_____	<b>Z</b>	D.C.C.I Body and Grate*
-------	----------	-------------------------

### SUFFIXES

_____	<b>-DG</b>	Duresist Grate
_____	<b>-P</b>	Trap Primer Connection
_____	<b>-V</b>	Backwater Valve (See Z1099)
_____	<b>-VP</b>	Vandal-Proof Secured Top
_____	<b>-90</b>	90° Threaded Side Outlet Body (2 thru 4 [51 thru 102])

\*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED

REV. \_\_\_\_\_ DATE: 05/18/12 C.N. NO. 124400

DWG. NO. 309800

PRODUCT NO. Z508-94

ZURN INDUSTRIES, LLC. ♦ SPECIFICATION DRAINAGE OPERATION ♦ 1801 Pittsburgh Ave. ♦ Erie, PA 16514

Phone: 814/455-0921 ♦ Fax: 814/454-7929 ♦ World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905/405-8272 Fax: 905/405-1292