




**Z-1186-107  
OIL INTERCEPTOR  
W/ INTEGRAL STORAGE TANK**

SPECIFICATION SHEET

TAG \_\_\_\_\_

Dimensional Data (inches and [ mm ]) are Subject to Manufacturing Tolerances and Change Without Notice



SIZE	Inlet/Outlet Size	Flow Rate G.P.M.	Water Capacity Gal.[L]	Approx. Wt. Lbs.[kg]	Oil Storage Tank Capacity Gal.[L]
300	2 [51]	10 [38]	7 [26]	56 [25]	10 [38]

R = Depth of Storage Tank

Dimensions in inches										
SIZE	C	D/E	F	G	H	K	M	N	Q	R
300	13 5/8 [346]	8 1/8 [206]	26 1/8 [664]	14 [356]	11 5/8 [295]	10 5/8 [270]	4 5/16 [110]	16 7/8 [429]	33 7/8 [860]	13 5/8 [346]

**ENGINEERING SPECIFICATION:** ZURN Z-1186-107 Acid Resistant Coated interior and exterior fabricated steel oil interceptor, with bronze cleanout plug and visible double wall trap seal, removable combination pressure equalizing/flow diffusing baffle and sediment bucket, horizontal baffle, oil drawoff, vent connections, secured gasketed non-skid cover, complete with flow control fitting and integral storage tank. Regularly furnished with 2" No-Hub inlet and outlet in high position.

**OPTIONS** (Check/specify appropriate options)

**PREFIXES**

\_\_\_\_ Z- Acid Resistant Coated Fabricated Steel\*

REV.	DATE: 9/5/00	C.N. NO. 85841
DWG NO. P-14792	PRODUCT NO. Z-1186-107	

\*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED