


Z1209-96 VERTICAL OFFSET SIPHON JET NO-HUB NARROW

SPECIFICATION SHEET

TAG

OUTLET FIXTURE SUPPORT & MODIFIED FACEPLATE

WALL SUPPORT SYSTEM W/ FLOOR MOUNT BACK



Note:

- 1. Min. 'P' Dim. Obtainable=2 [51]
- 2. Feet bolted to floor using min. 1/2 [13] dia. bolts and back slots on carrier feet.
- 3. Back anchor foot required for secure installation.

Product	Dimension In Inches		Approx. Wt. Lbs.
No.	E	N	[kg]
Z1209-NL4/NR4-96	4-13/16[122]	7-13/16[197]	67 [30]

ENGINEERING SPECIFICATION: ZURN Z1209-96

Narrow Wall Vertical Offset Siphon Jet Water Closet "Rigid System" with No-Hub connections and 2 [51] vent. Complete with Dura-Coated cast iron main fitting, -RYK floor mounted foot supports, modified adjustable faceplate, corrosion resistant adjustable ABS coupling with integral test cap, fixture trim, and stud protectors. Rear anchor tie down, bonded "Neo-Seal" gasket and floor mount back outlet fixture support.

PRODUCT/DEFINITION

Z1209-NL4-96 4 [102] No-Hub Stack, Left Hand Offset Inlet, 2 [51] Left Hand Vent Z1209-NR4-96 4 [102] No-Hub Stack, Right Hand Offset Inlet, 2 [51] Right Hand Vent

PREFIXES

Z D.C.C.I. System with Zurn "ZZ" Adjustable Coupling

SUFFIXES

CC	Cast Iron Coupling (6 [152] to 12 [305])
CL	Coupling Length Greater than 12 [305]
G	Galvanized Cast Iron
JJ	Two 2 [51] Auxiliary Inlet
JS	2 [51] Auxiliary Inlet Stack Side
JV	2 [51] Auxiliary Inlet Vent Side
VP	Vandal-Proof Trim
X3	3 [76] Foot Extension Assembly
X4	4[102] Foot Extension Assembly
29	Mechanical Test Cap Assembly
	(Previsouly Z1210-29)
50	Flush Valve Supply Support for W.C.
61	"ZZ" Coupling Wrench

*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED

	REV.	DATE: 10/1	2/10	C.N. NO. 124832	
	DWG. NO.	310606	PRO	DUCT NO. Z1209-96	
AG	AGE OPERATION A 1801 Pittsburgh Ave A Frie PA 16514				

ZURN INDUSTRIES, LLC. SPECIFICATION DRAINAGE OPERATION 1801 Pittsburgh Ave. Frie, PA 16514

Phone: 814\455-0921 Fax: 814\454-7929 World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED 🔹 3544 Nashua Drive 🔶 Mississauga, Ontario L4V1L2 🔶 Phone: 905/405-8272 Fax: 905/405-1292