




Z107-C-E-84

20 [508] WIDE DECK FLANGE ROOF DRAIN W/ STATIC
EXTENSION, UNDERDECK CLAMP & PERFORATED
GRAVEL GUARD

SPECIFICATION SHEET

TAG _____

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



A Pipe Size In [mm]	Approx. Wt. Lbs. [kg]	Dome Open Area Sq. In. [cm ²]
3,4 [76,102]	53 [24]	103 [665]
6,8 [152,203]		

ENGINEERING SPECIFICATION: ZURN Z107-C-E-84

20" [508mm] Diameter wide deck flange roof drain. Dura-Coated cast iron with combination membrane flashing clamp/gravel guard, static extension w/ gasket, underdeck clamp, perforated gravel guard and low silhouette Poly-Dome.

OPTIONS (Check/specify appropriate options)

PIPE SIZE

3,4,6 [76,102,152]
3,4 [76,102]
3,4,6,8 [76,102,152,203]

(Specify size/type) OUTLET

_____ IC Inside Caulk
_____ IP Threaded
_____ NH No-Hub

E BODY HT. DIM.

5-1/4 [133]
5-1/4 [133]
5-1/4 [133]

PREFIXES

_____ Z D.C.C.I. Body with Poly-Dome*
_____ ZA D.C.C.I. Body with Aluminum Dome
_____ ZC D.C.C.I. Body with Cast Iron Dome

SUFFIXES

_____ -AR Acid Resistant Epoxy Coated Finish
_____ -EA Adjustable Extension Assembly
2-1/8 [54] thru 3-1/2 [89]
_____ -FG Flush Grate
_____ -G Galvanized Cast Iron
_____ -SS Stainless Steel Mesh Screen Over Dome
_____ -VP Vandal Proof Secured Top
_____ -W2 2 [51] Internal Water Dam
_____ -W3 3 [76] Internal Water Dam
_____ -W4 4 [102] Internal Water Dam
_____ -85 Stainless Steel Perforated Extension
_____ -89 2 [51] High External Water Dam

* Regularly furnished unless otherwise specified.

Zurn Industries, LLC | Specification Drainage Operation
1801 Pittsburgh Avenue, Erie, PA U.S.A. 16502 · Ph. 855-663-9876, Fax 814-454-7929
In Canada | Zurn Industries Limited
3544 Nashua Drive, Mississauga, Ontario L4V 1L2 · Ph. 905-405-8272, Fax 905-405-1292
www.zurn.com

Rev. A
Date: 10/03/2017
C.N. No. 138195
Prod. | Dwg. No. Z107-C-E-84