




# ZN1209-N4

## VERTICAL OFFSET SIPHON JET NO-HUB NARROW WALL SYSTEM

SPECIFICATION SHEET

TAG \_\_\_\_\_

Dimensional Data (inches and [ mm ]) are Subject to Manufacturing Tolerances and Change Without Notice

**Note:**

1. Feet bolted to floor using min. 1/2 [13] dia. bolts and back slots on carrier feet.
2. Back anchor foot required for secure installation.

Product No.	Approx. Wt. Lbs. [kg]
ZN1209-NL4	67 [30]
ZN1209-NR4	67 [30]

**ENGINEERING SPECIFICATION: ZURNZN1209-N(4)**

Narrow Wall Vertical Offset Siphon Jet Water Closet "Rigid System" with 4 [102] size No-Hub or Hub and Spigot connections and 2 [51] Vent Complete with Dura-Coated cast iron main fitting, Separable Face Plate Rigidly Mounted on Fitting, Universal Floor Mounted Supports, Corrosion Resistant Adjustable ABS Coupling with integral test cap, fixture bolts, trim and stud protectors. Rear anchor tie down, and bonded "Neo-Seal" gasket.

**PRODUCT/DEFINITION**

- \_\_\_\_ ZN1209-NL4 4 [102] No-Hub Stack, Left Hand Offset Inlet, 2 [51] Left Hand Vent  
\_\_\_\_ ZN1209-NR4 4 [102] No-Hub Stack, Right Hand Offset Inlet, 2 [51] Right Hand Vent

**PREFIXES**

- \_\_\_\_ Z D.C.C.I. System with Zurn "ZZ" Adjustable Coupling

**SUFFIXES**

- |          |  |          |  |
|----------|--|----------|--|
| ____ -B  | Blowout Type Fixture Support           | ____ -45 | Finishing Frame for Siphon Jet System (For Blowout System specify -45-B) |
| ____ -CC | Corrosion Resistant Cast Iron Coupling | ____ -50 | Flush Valve Supply Support for W.C.                                      |
| ____ -G  | Galvanized Cast Iron                   | ____ -61 | "ZZ" Coupling Wrench   |
| ____ -JJ | Two 2 [51] Auxiliary Inlets            |          |  |
| ____ -JS | 2 [51] Stack Side Auxiliary Inlet      |          |  |
| ____ -JV | 2 [51] Vent Side Auxiliary Inlet       |          |  |
| ____ -VP | Vandal Proof Trim                      |          |  |
| ____ -X3 | 3 [76] Inch Foot Extension Assembly    |          |  |
| ____ -X4 | 4 [102] Inch Foot Extension Assembly   |          |  |
| ____ -29 | Mechanical Test Cap Assembly           |          |  |

REV. B DATE: 08/01/13 C.N. NO. 129729

PROD. NO./DWG. NO. ZN1209-N4

\*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED

ZURN INDUSTRIES, LLC. ♦ SPECIFICATION DRAINAGE OPERATION ♦ 1801 Pittsburgh Ave. ♦ Erie, PA 16514  
Phone: 814/455-0921 ♦ Fax: 814/454-7929 ♦ World Wide Web: [www.zurn.com](http://www.zurn.com)

In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905/405-8272 Fax: 905/405-1292